

FEDERAL LAW REGULATES PCB SOURCE MATERIAL OVER 50PPM
FEDERAL LAW DOES NOT REGULATE AIR TESTING

AIR SAMPLES OVER EPA GUIDANCE

100ng/m ³ children 3-6 yrs old	200ng/m ³ children 6+
----------------------------------------------	-------------------------------------

NON DETECT DOES NOT MEAN THERE ARE NO PCBs IN THE AIR, ONLY THAT ENVIRON SET DETECTION LIMITS OVER 75ng, LESS THAN 75ng WERE REPORTED AS NON-DETECT (100ng is over EPA guidance)

DUST SAMPLES OVER EPA GUIDANCE

Reported over 1-10micrograms/100cm²

Built 2003
 NO PCB'S IN BUILDING MATERIAL

(PCBs were sometimes used in building materials before 1979 not used in building residential homes)

PCB SOIL REMOVED 2014

PCB SOIL REMOVED 2011

Vocal Sukovaty Rm 24
 Marz Percussion Rm 25
 (AT REAR OF PLAYGROUND)

window / door
CAULKING / SOURCE MATERIAL
PCB's OVER 50ppm
 In violation of federal law

(PCB 126 is the most toxic dioxin-like PCB congener)


AMERICA UNITES PCB MAP

(TRI - SCHOOL CAMPUS / STUDENTS 5 - 18 YEARS)

KNOWN classrooms PCBs greater than 50ppm
 MHS
 Owens / French (rm 205)
 Cairns / Humanities 6th (rm 8)
 Evensen / Visual Arts (rm 505)
 Hacker / Visual Arts (rm 401)
 Hoos / Social Studies 8th (rm 7)
 Jones / Humanities 6th (rm 3)
 Lapajne / Language Arts 8th (rm 5)

NOTE: MOST CLASSROOMS ARE UNKNOWN BECAUSE SOURCES HAVE NOT BEEN TESTED

KNOWN TEACHERS/AIDES TREATED FOR THYROID DISEASE OR THYROID CANCER (SELF REPORTED)



KNOWN classrooms PCBs greater than 50ppm
 JCES
 Hutch / Science (rm 23)
 Artist Work Shop (rm 19)
 Siegal / SAI Special Education Program (rm 22)

NOTE: MOST CLASSROOMS ARE UNKNOWN BECAUSE SOURCES HAVE NOT BEEN TESTED

JUAN CABRILLO ELEMENTARY SCHOOL

MALIBU MIDDLE AND HIGH SCHOOL

This map illustrates public information gathered from ENVIRON, ARCADIS, PHYLAR GROUP, BC LAB, FRONTIER ANALYTICAL and EUROFINS.

TSCA Federal Law: "50ppm or greater present an unreasonable risk of injury to health." PCBs over 50ppm MUST BE REMOVED